ELSEVIER

Animal Feed Science and Technology
87 (2000) 297–298

ANIMAL FEED SCIENCE AND TECHNOLOGY

www.elsevier.com/locate/anifeedsci

Contents of *Animal Feed Science and Technology*, Volume 87

VOL. 87 NOS. 1–2 **30 SEPTEMBER 2000**

Review article

A review of the potential of *Lathyrus sativus* L. and *L. cicera* L. grain for use as animal feed
C.D. Hanbury (Nedlands, Australia), C.L. White (Wembley, Australia), B.P. Mullan (Bentley, Australia) and K.H.M. Siddique (Nedlands, Australia and Bentley, Australia) 1

The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*
B. Palmer, R.J. Jones (Aitkenvale, Qld, Australia), E. Wina and B. Tangendjaja (Bogor, Indonesia) 29

Characterisation of tannins and in vitro protein digestibility of several *Lotus corniculatus* varieties
H. Hedqvist (Uppsala, Sweden), I. Mueller-Harvey (Reading, UK), J.D. Reed, C.G. Krueger (Madison, WI, USA) and M. Murphy (Uppsala, Sweden) 41

Cowpea (*Vigna unguiculata* L. Walp) and groundnut (*Arachys hypogea* L.) haulms as supplements to sorghum (*Sorghum bicolor* L. Moench) stover: intake, digestibility and optimum feeding levels
M. Savadogo (Ouagadougou, Burkina Faso), G. Zemmelink (Wageningen, Netherlands), A.J. Nianogo (Ouagadougou, Burkina Faso) and H. Van Keulen (Wageningen, Netherlands) . . . 57

Effect of dietary fibre source on total tract digestibility, caecum volatile fatty acids and digestive transit time in the weaned piglet
J.P.B. Freire, A.J.G. Guerreiro, L.F. Cunha (Lisbon, Portugal) and A. Aumaitre (St. Gilles, France) . 71

The effect of DL-methionine and betaine on growth performance and carcass characteristics in broilers
E. Esteve-Garcia (Reus, Spain) and S. Mack (Hanau, Germany) 85

Effect of feeding undegraded intake protein at a level greater than National Research Council recommendation on the lactational performance of crossbred cows
J.V. Manjunatha, U. Krishnamoorthy, M.M. Kailas and C.K. Singh (Bangalore, India) 95

Effects of dry matter content on trypsin inhibitors and urease activity in heat treated soya beans fed to weaned piglets
C.E. White, D.R. Campbell and L.R. McDowell (Gainesville, FL, USA) 105

Feeding ground and pelleted hay rather than chopped hay to ponies. 1. Consequences for in vivo digestibility and rate of passage of digesta
C. Drogoul (Dijon, France), C. Poncet (Saint Genès-Champanelle, France) and J.L. Tisserand (Dijon, France) 117

Feeding ground and pelleted hay rather than chopped hay to ponies. 2. Consequences on fibre degradation in the cecum and the colon
C. Drogoul, J.L. Tisserand (Dijon, France) and C. Poncet (Saint Genès-Champanelle, France) 131

Book reviews 147

VOL. 87 NOS. 3–4 **31 OCTOBER 2000**

Effect of regrowth age on intake and digestion of *Digitaria decumbens* consumed by Black-belly sheep
H. Archimède, M. Boval, G. Alexandre, A. Xandé, G. Aumont (Petit-bourg, Guadeloupe) and C. Poncet (Saint-Genes-Champanelle, France) 153

Associative effects of supplementing barley straw diets with alfalfa hay on rumen environment and nutrient intake and digestibility for ewes
S.G. Haddad (Irbid, Jordan) 163

The influence of hydrochloric acid concentration and measurement method on the determination of amino acid levels in soya bean products
D.M. Albin, J.E. Wubben and V.M. Gabert (Urbana, IL, USA) 173

Predicting the nutritive value of the olive leaf (*Olea europaea*): digestibility and chemical composition and in vitro studies
M. Delgado-Pertíñez (Sevilla, Spain), A. Gómez-Cabrera and A. Garrido (Córdoba, Spain) . . 187

Nutritional evaluation of cardoon (*Cynara cardunculus*) seed for ruminants
C. Cajarville, J. González, J.L. Repetto, M.R. Alvir and C.A. Rodríguez (Madrid, Spain) . . . 203

Supplementation of graded levels of *Desmodium intortum* hay to sheep feeding on maize stover harvested at three stages of maturity. 2. Rumen fermentation and nitrogen metabolism
A. Tolera (Awassa, Ethiopia and Aas, Norway) and F. Sundstøl (Aas, Norway) 215

The influence of diet of the donor animal on the initial bacterial concentration of ruminal fluid and in vitro gas production degradability parameters
S. Nagadi, M. Herrero and N.S. Jessop (Edinburgh, UK) 231

The effect of fermentable nitrogen availability on in vitro gas production and degradability of NDF
S. Nagadi, M. Herrero and N.S. Jessop (Edinburgh, UK) 241

Revival performance of growing buffalo calves fed on urea molasses liquid diet and roughage as survival feed
A.K. Verma, R.S. Dass and U.R. Mehra (Izatnagar, India) 253

Effects of dry plant extracts on fermentation and methanogenesis in continuous culture of rumen microbes
L.-P. Broudiscou, Y. Papon (Paris, France) and A.F. Broudiscou (Marseille, France) 263

Short communications

The effect of an exogenous enzyme treatment on production and carcass characteristics of growing and finishing steers
D.R. ZoBell, R.D. Wiedmeier, K.C. Olson (Logan, UT, USA) and R. Treacher (Marlborough, UK) 279

Comparison of the digestive ability of crop fluid from the folivorous Hoatzin (*Opisthocomus hoazin*) and cow rumen fluid with seven tropical forages
R.J. Jones (Aitkenvale, Qld., Australia), M.A. Garcia Amado and M.G. Dominguez-Bello (Caracas, Venezuela) 287

Contents of *Animal Feed Science and Technology*, Volume 87 297